

Enhanced Combined Tomography and Biomechanics data for distinguish Forme Fruste Keratoconus

Tomography and Biomechanics in Forme Fruste Keratoconus

Allan Luz, MD^{1,5,7}; Bernardo Lopes, MD^{7,8}; Katie M. Hallahan, MD^{2,3}, Bruno Valbon^{4,7,8},
MD; Isaac Ramos, MD⁷; Fernando Correia, MD^{6,7}; Paulo Schor, MD, PhD¹;

William J. Dupps Jr., MD, PhD^{2,3} Renato Ambrósio Jr., MD, PhD^{1,7,8}

1. Department of Ophthalmology of the Federal University of Sao Paulo, Sao Paulo, Brazil
2. Cole Eye Institute, Cleveland Clinic, Cleveland, Ohio
3. Biomedical Engineering, Cleveland Clinic Lerner Research Institute, Cleveland, Ohio
4. Department of Ophthalmology of the University of São Paulo, São Paulo, Brazil
5. Cornea and Refractive Surgery Department, Hospital de Olhos de Sergipe, Aracaju, Brazil
6. Cornea and Refractive Surgery Department, Hospital de Braga, Portugal
7. Rio de Janeiro Corneal Tomography and Biomechanics Study Group
8. Instituto de Olhos Renato Ambrósio and Visare Personal Laser Rio de Janeiro, Brazil

❖ Conflicts of Interest:

Renato Ambrósio MD, PhD: consult (OCULUS Optikgeräte GmbH).

William J. Dupps, MD, PhD: Intellectual property issued through Cleveland Clinic Innovations for a technique for biomechanical measurement that is not addressed in this article. Consultant (Ziemer), Sponsored research and medical advisory board (Avedro).

The remaining authors have no financial conflicts of interest.

Support in part by NIH R01EY023381 (WJD)

Correspondence:

Allan Luz, MD. Jorge Amado Avenue, 1500 – Jardins – Aracaju, SE – Brazil

Zip Code 49025 330, Phone 55-79-3212-0800, Fax: 55-79-3212-0844 dr.allanluz@gmail.com